



# Pakistan Identity Federation

## *Metadata Registration Practice Statement*

Authors	Waqas Ahmed Khan
Publication Date	18-10-2018
Version	0.2

### License



This template document is license under Creative Commons CC BY 3.0. You are free to share, re-use and adapt this template as long as attribution is given. This document draws on work carried out by the UK Access Management Federation and the ACONet Identity Federation with gratitude.

## Table of Contents

1. Definitions and Terminology.....	3
2. Introduction and Applicability.....	4
3. Member Eligibility and Ownership .....	4
4. Metadata Format .....	5
5. Entity Eligibility and Validation.....	5
6. Entity Management.....	6
7. References .....	7

## 1. Definitions and Terminology

The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this document are to be interpreted as described in RFC 2119 [RFC2119].

The following definitions are used in this document:

Federation	Identity Federation. An association of organisations that come together to securely exchange information as appropriate about their users and resources to enable collaborations and transactions.
Federation Member	An organisation that has joined the Federation by agreeing to be bound by the Federation Policy in writing.
Federation Operator	Organisation providing the infrastructure for Authentication and Authorisation to Federation Members.
Federation Policy	A document describing the obligations, rights and expectations of the federation members and the federation Operator.
Entity	A discrete component that a member wishes to register and describe in metadata. This is typically an Identity Provider or Service Provider.
Registry	System used by the Federation Operator to register entity metadata. This may be via a self-service tool or via other manual processes.
Registered Representatives	Individuals authorised to act on behalf of the member. These may take on different roles with different rights attached to them.
PERN	Pakistan Education & Research Network
PKIFED	Pakistan Identity Federation

## 2. Introduction and Applicability

This document describes the metadata registration practices of the Federation Operator PKIFED with effect from the publication date shown on the cover sheet. All new entity registrations performed on or after that date SHALL be processed as described here until the document is superseded.

This document SHALL be published on the Federation website at: <https://pkifed.pk>. Updates to the documentation SHALL be accurately reflected in entity metadata.

An entity that does not include a reference to a registration policy MUST be assumed to have been registered under an historic, undocumented registration practice regime. Requests to re-evaluate a given entity against a current MRPS MAY be made to the Federation helpdesk.

## 3. Member Eligibility and Ownership

Members of the Federation are eligible to make use of the Federation Operator's registry to register entities. Registration requests from other sources SHALL NOT be accepted.

The procedure for becoming a member of the Federation is documented at: <https://pkifed.pk/index.php/join/>.

The membership procedure verifies that the prospective member has legal capacity, and requires that all members enter into a contractual relationship with the Federation Operator by agreeing to the Federation policy. The Operator makes checks based on the legal name provided. The checks are conducted with a number of official databases.

The membership process also identifies and verifies Registered Representatives, who are permitted to act on behalf of the organisation in dealings with the Federation Operator. Verification is achieved by requiring the prospective member to complete the PERN Service Application Form, which states the organisation's billing and technical contacts. The completed PERN Service Application Form is to be signed by the organisation's representative, with the organisation's stamp.

The process also establishes a canonical name for the Federation member. The canonical name of a member MAY change during the membership period, for example as a result of corporate name changes or mergers. The member's canonical name is disclosed in the entity's <md:OrganizationName> element [SAML-Metadata-OS].

## 4. Metadata Format

Metadata for all entities registered by the Federation Operator SHALL make use of the [SAML-Metadata-RPI-V1.0] metadata extension to indicate that the Federation Operator is the registrar for the entity and to detail the version of the MRPS statement that applies to the entity. The following is a non-normative example:

```
<mdrpi:RegistrationInfo
registrationAuthority="https://pkifed.pk"
registrationInstant="2018-07-05T11:31:00Z">
<mdrpi:RegistrationPolicy xml:lang="en">
https://pkifed.pk/wp-content/uploads/2018/09/PKIFED-MRPS-v0.1.pdf
</mdrpi:RegistrationPolicy>
</mdrpi:RegistrationInfo>
```

## 5. Entity Eligibility and Validation

### 5.1 Entity Registration

The process by which a Federation member can register an entity is described at <https://pkifed.pk/index.php/support/>.

The Federation Operator SHALL verify the member's right to use particular domain names in relation to entityID attributes and, for Identity Provider entities, any scope elements.

The right to use a domain name SHALL be established in one of the following ways:

- A member's canonical name matches registrant information shown in DNS.
- A member MAY be granted the right to make use of a specific domain name through a permission letter from the domain owner on a per-entity basis. Permission SHALL NOT be regarded as including permission for the use of sub-domains.

### 5.2 EntityID Format

Values of the entityID attribute registered MUST be an absolute URI using the http, https or urn schemes.

https-scheme URIs are RECOMMENDED to all members.

http-scheme and https-scheme URIs used for entityID values MUST contain a host part whose value is a DNS domain.

### 5.3 Scope Format

For Identity Provider entities, scopes MUST be named by DNS domain names, expressed in lowercase. Multiple scopes are allowed. Regular expressions representing multiple scopes can be used, but all DNS domains covered by the expression MUST be included in checks by the federation operator for the member's right to use those domains. The regular expression(s) MUST be fully anchored at the beginning and end (e.g. `^(foo|bar)\.example\.com$`).

## **5.4 Entity Validation**

On entity registration, the Federation Operator SHALL carry out entity validation checks. These checks include:

- Ensuring all required information is present in the metadata;
- Ensuring metadata is correctly formatted;
- Ensuring protocol endpoints are properly protected with TLS / SSL certificates.

## **6. Entity Management**

Once a member has joined the Federation any number of entities MAY be added, modified or removed by the organisation.

### **6.1 Entity Change Requests**

Any request for entity addition, change or removal from Federation members needs to be communicated from or confirmed by their respective Registered Representatives.

Communication of change happens via e-mail or Federation registry tool.

### **6.2 Unsolicited Entity Changes**

The Federation Operator may amend or modify the Federation metadata at any time in order to:

- Ensure the security and integrity of the metadata;
- Comply with interFederation agreements;
- Improve interoperability;
- Add value to the metadata.

Changes will be communicated to Registered Representatives for the entity.

## 7. References

[RFC2119]	Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, <a href="#">RFC 2119</a> , March 1997.
[SAML-Metadata-RPI-V1.0]	SAML V2.0 Metadata Extensions for Registration and Publication Information Version 1.0. 03 April 2012. OASIS Committee Specification 01. <a href="http://docs.oasis-open.org/security/saml/Post2.0/saml-metadata-rpi/v1.0/cs01/saml-metadata-rpi-v1.0-cs01.html">http://docs.oasis-open.org/security/saml/Post2.0/saml-metadata-rpi/v1.0/cs01/saml-metadata-rpi-v1.0-cs01.html</a> .
[SAML-Metadata-OS]	OASIS Metadata for the OASIS Security Assertion Markup Language (SAML) V2.0: <a href="http://docs.oasis-open.org/security/saml/v2.0/saml-metadata-2.0-os.pdf">http://docs.oasis-open.org/security/saml/v2.0/saml-metadata-2.0-os.pdf</a> .
[PKIFED Federation Policy]	<a href="https://pkifed.pk/wp-content/uploads/2018/09/PKIFED-Identity-Federation-Policy-v0.1.pdf">https://pkifed.pk/wp-content/uploads/2018/09/PKIFED-Identity-Federation-Policy-v0.1.pdf</a>
[PKIFED SAML Web Single Sign-On Technology Profile]	<a href="https://pkifed.pk/wp-content/uploads/2018/09/PKIFED-SAML-Web-SSO-Technology-Profile-v0.1.pdf">https://pkifed.pk/wp-content/uploads/2018/09/PKIFED-SAML-Web-SSO-Technology-Profile-v0.1.pdf</a>